

Sub DEC 8TH

Work Order ID 154125

Monday, December 05, 2016 2:23:19 PM

154125

Page 1

Item ID: D206-558-043

Accept

N900040100

Setup Start

NS1

Revision ID:

Stop

NS2

Item Name: Dual Mirror Installation

Start Date: 12/5/2016 Start Qty: 1.00

1

Cust Item ID:

Required Date: 12/8/2016 Req'd Qty: 1.00

1

Customer:

Reference:

Approvals:

Process Plan:

VS

DAS
21
9-89

Date:

14/12/05

Tooling:

Date:

QC:

Date:

SPC (Y/N):

Date:

Run Start

NR1

Stop

NR2

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
Draw Nbr	Revision Nbr								
IIN D206-558	RevD								
100	Document Control	0.00							
100	DOCUMENT CONTROL								
DC	Memo	0.00							
Doc.Control -USB or Paperwork	Photocopy bluefile and create labels per PPP D206-558-043 CHG009								
110	Small Fab	0.00							
110	Small Fab								
Small Fab	Memo	0.04							
Small Fab	1- assemble as per dwg D206-558								
120	QC5- Inspect part completeness to step on W/O	0.00							
120	QC								
Quality Control	Memo	0.00							

DAS
21
9-89

16-12-06

DAS
28
9-89

DEC 08 2016

1 FF

DEC 06 2016

DAS
27
9-89

DAS
27
9-89

DEC 08 2016

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐	AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐			
Date :	Step #:	QTY Effective :		MRB (QSI042) Approval	
Description Work Order Deviation		Disposition		Completed By	
				Lead hand / Supervisor Approval Verification	
				QC / QA Coordinator Approval	
Root Cause Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐		FAULT CATEGORY Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐ Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Mislabeled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐			
OTHER : _____					

Work Order ID 154125

Monday, December 05, 2016 2:23:19 PM

154125

Page 2

Item ID: D206-558-043

Accept

N900040100

Setup Start

NS1

Revision ID:

Stop

NS2

Item Name: Dual Mirror Installation

Start Date: 12/5/2016 Start Qty: 1.00

1

Cust Item ID:

Required Date: 12/8/2016 Req'd Qty: 1.00

1

Customer:

Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____

Run Start

NR1

QC: _____ Date: _____ SPC (Y/N): _____ Date: _____

Stop

NR2

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
130	Pick Kit	0.00							
130									
Packaging	Memo	0.00							
Packaging									
140	QC4- 100% Inspect kits for completeness	0.00							
140									
QC	Memo	0.01							
Quality Control									
150	Packaging	0.00							
150									
Packaging	Memo	0.00							
Packaging	Identify and pack for shipping as per PPP D206-558-043 LOCATION: FG011								

DEC 05 2016

DAS
6
9-89
DAS
27
9-89DAS
28
9-89

DEC 08 2016

DAS
28
9-89DAS
27
9-89

DEC 08 2016

Handwritten signature

DQA: _____ Date: _____

WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐	AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐			
Date :	Step #:	QTY Effective :		MRB (QSI042) Approval	
Description Work Order Deviation		Disposition		Completed By	
				Lead hand / Supervisor Approval Verification	
				QC / QA Coordinator Approval	
Root Cause Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐		FAULT CATEGORY Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐ Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Mislabeled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐			
OTHER : _____					

Work Order ID 154125

Monday, December 05, 2016 2:23:19 PM

154125

Page 3

Item ID: D206-558-043

Accept

N900040100Setup Start ***NS1***

Revision ID:

Stop ***NS2***

Item Name: Dual Mirror Installation

Start Date: 12/5/2016 Start Qty: 1.00 ***1***

Cust Item ID:

Required Date: 12/8/2016 Req'd Qty: 1.00 ***1***

Customer:

Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____

Run Start ***NR1***

QC: _____ Date: _____ SPC (Y/N): _____ Date: _____

Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
--------------------------------	--------------------------	----------------------	---------	--------	--------------	---------------	---------------	------------------	----------------

160

QC21- Final Inspection - Work Order Release

0.00

160DAS
21
9-89

DEC 08 2016

QC

Memo

0.02

Quality Control

DAS
21
9-89

DEC 08 2016

DQA: _____ Date: _____

WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval		
Description Work Order Deviation				Disposition					
Root Cause Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐		FAULT CATEGORY Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐ Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Mislabeled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐							
		OTHER : ☐							

Monday, December 05, 2016 2:23:31 PM

154125

D206-558-043

Start Date: 12/5/2016**Required Date:** 12/8/2016**Start Qty: 1.00**

Required Qty: 1.00

Comments: IPP G02.09.19Re-format; Incorporated D2066KJ
 IPP Rev:H 08-05-14 now @ chg006/add D3778-1 per ECN1171 DD verified:
 IPP Rev:I 08-08-19 now @ chg 007 DD verified by:ec IPP Rev:J
 10.10.27 fixe route seq DD verf:EC IPP REV:K 11.01.19
 AS PER CHG009 DD VVERF:EC IPP REV:L 14.09.09 AS PER IIN
 REV.D DD VVERF:JLM

[illegible]

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval 		
Description Work Order Deviation				Disposition					
				Completed By					
				Lead hand / Supervisor Approval Verification					
				QC / QA Coordinator Approval					
Root Cause		FAULT CATEGORY							
Environment ☐	No Re-verification ☐	Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐				
Design ☐	Operator ☐	Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐				
Doc/Data ☐	Offset/Setup ☐	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐				
Equip/Tooling ☐	Supplier ☐	Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐				
Handling/Pre ☐	Training ☐	Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐				
Material ☐	Use for Testing ☐	Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐				
Internal Transport ☐	Poor Information ☐	Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐				
Tribal Knowledge ☐	Rushing ☐	Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐				
LOA ☐	Product Improvement ☐	Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐				
Substation ☐	Process Improvement ☐	Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐				
Past Expiry Date ☐	Manufacturing Process ☐	OTHER : _____							
Misidentified ☐	Past Due ☐								

Picklist Print

Monday, December 05, 2016 2:23:31 PM

Page 2

Work Order ID: 154125

154125

Parent Item: D206-558-043

D206-558-043

Parent Item Name: Dual Mirror Installation

Start Date: 12/5/2016

Required Date: 12/8/2016

Start Qty: 1.00

Required Qty: 1.00

D2011-101 Manufactured No

110

Each

20.0000

2

2

D2011-101

Mirror 6"

**

Location

Loc Qty

Loc Code

FG
106348
ST368
146270
148838
ST384
151295

2
2
6
1
5
12
12

D2071 Manufactured No

130

Each

4.0000

1

1

D2071

Cable Assembly - 32"

**

Location

Loc Qty

Loc Code

FG
71206
ST216
140496

1
1
3
3

D2067 Manufactured No

130

Each

21.0000

1

1

D2067

Connector

**

Location

Loc Qty

Loc Code

ST002
105444

21
21

D2053 Manufactured No

130

Each

15.0000

1

1

D2053

Bracket

**

Location

Loc Qty

Loc Code

ST002
108842

15
15

DEC 05 2016
DAS 6 9-89
DAS 27 9-89

DEC 05 2016
DAS 6 9-89
DAS 27 9-89

DEC 05 2016
DAS 6 9-89
DAS 27 9-89

DEC 05 2016
DAS 6 9-89
DAS 27 9-89

Monday, December 05, 2016 2:23:31 PM

Shop Packet Print

Page 2

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐	AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐			
Date : _____	Step #: _____	QTY Effective : _____		MRB (QSI042) Approval	
Description Work Order Deviation		Disposition			
				Completed By	
				Lead hand / Supervisor Approval Verification	
				QC / QA Coordinator Approval	
Root Cause Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐		FAULT CATEGORY Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐ Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Mislabeled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐			
OTHER : _____					

Picklist Print

Monday, December 05, 2016 2:23:31 PM

Page 3

Work Order ID: 154125

154125

Parent Item: D206-558-043

D206-558-043

Parent Item Name: Dual Mirror Installation

Start Date: 12/5/2016

Required Date: 12/8/2016

Start Qty: 1.00

Required Qty: 1.00

AN3-4A Purchased No
AN3-4A
Bolt

130 Each 187.0000 4 4

**

DEC 05 2016

DAS 6 27
9-89 9-89

DAS 28
9-89

Location

Loc Qty

Loc Code

ST350

187

m135704

187

AN526-1032R9 Purchased No
AN526-1032R9
Screw

130 Each 43.0000 4 4

**

DEC 05 2016

DAS 6 27
9-89 9-89

DAS 28
9-89

Location

Loc Qty

Loc Code

ST326

43

m131139

43

NAS1149D0332J Purchased No
NAS1149D0332J
Washer

130 Each 1,737.000 6 6

**

DEC 05 2016

DAS 6 27
9-89 9-89

DAS 28
9-89

Location

Loc Qty

Loc Code

FP001

114

m134848

114

GA

154

m134848

154

ST260a

1200

m136015

1200

ST264

269

m135672

269

Monday, December 05, 2016 2:23:31 PM

Shop Packet Print

Page 3

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐	AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐			
Date : _____	Step #: _____	QTY Effective : _____		MRB (QSI042) Approval	
Description Work Order Deviation		Disposition		Completed By	
				Lead hand / Supervisor Approval Verification	
				QC / QA Coordinator Approval	
Root Cause		FAULT CATEGORY			
Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐	No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐	Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐	Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐	Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Mislabeled ☐ Fit/Function ☐ Misaligned/off center ☐	Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐
OTHER : _____					

Picklist Print

Monday, December 05, 2016 2:23:31 PM

Work Order ID: 154125

154125

Parent Item: D206-558-043

D206-558-043

Parent Item Name: Dual Mirror Installation

Start Date: 12/5/2016

Required Date: 12/8/2016

Start Qty: 1.00

Required Qty: 1.00

MS21042L3

Purchased

No

130

Each

1,802.000

1

1

MS21042L3

Nut

DAS

6

9-89

DEC 05 2016

DAS
28
9-89

Location

Loc Qty

Loc Code

CCK007

600

M136192

600

FP001

100

m135945

100

GA

188

m134360

108

m135135

80

ST303

914

m135945

314

M136044

600

MS21919-DG5

Purchased

No

130

Each

52.0000

2

2

MS21919-DG5

Clamp

DAS

6

9-89

DEC 05 2016

DAS
28
9-89

Location

Loc Qty

Loc Code

over008

50

m135544

50

ST293

2

m134134

2

MS35489-9

Purchased

No

130

Each

53.0000

1

1

MS35489-9

Grommet

DAS

6

9-89

DEC 05 2016

DAS
28
9-89

Location

Loc Qty

Loc Code

ST270

53

m132262

3

m136044

50

DQA: _____ Date: _____

WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐	AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐			
Date : _____	Step #: _____	QTY Effective : _____		MRB (QSI042) Approval	
Description Work Order Deviation		Disposition		Completed By	
				Lead hand / Supervisor Approval Verification	
				QC / QA Coordinator Approval	
Root Cause Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐		FAULT CATEGORY Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐ Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Mislabeled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐			
OTHER : _____					

4.0 WEIGHT AND BALANCE

Installation	Weight	LATERAL		LONGITUDINAL	
		Arm	Moment	Arm	Moment
D206-558-041	2.4 lb	+5.0 in	+12.0 in-lb	+14.8 in	+35.5 in-lb
Bell 206A/B/L/L1/L3/L4	1.09 Kg	+0.13 m	+0.14 m-Kg	+0.38 m	+0.41 m-Kg
D206-558-043	3.0 lb	0.0 in	0.0 in-lb	+14.8 in	+44.4 in-lb
Bell 206A/B/L/L1/L3/L4	1.36 Kg	0.0 m	0.0 m-Kg	+0.38 m	+0.52 m-Kg
D407-558-045	2.4 lb	+5.0 in	+12.0 in-lb	+14.8 in	+35.5 in-lb
Bell 407	1.09 Kg	+0.13 m	+0.14 m-Kg	+0.38 m	+0.41 m-Kg
D407-558-047	3.0 lb	0.0 in	0.0 in-lb	+14.8 in	+44.4 in-lb
Bell 407	1.36 Kg	0.0 m	0.0 m-Kg	+0.38 m	+0.52 m-Kg

5.0 PARTS LIST

Qty -041	Qty -043	Qty -045	Qty -047	Part Number	Description
X				D206-558-041	SINGLE CARGO MIRROR ASSEMBLY
	X			D206-558-043	DUAL CARGO MIRROR ASSEMBLY
		X		D407-558-045	SINGLE CARGO MIRROR ASSEMBLY
			X	D407-558-047	DUAL CARGO MIRROR ASSEMBLY
1	2	1	2	D2011-101	MIRROR ASSEMBLY
2	2	2	2	D2052**	BRACKET
1	1	1	1	D2053	BRACKET
2	2	2	2	D2054**	BUSHING
1	1	1	1	D2055**	CLAMP
1	1	1	1	D2056**	BELLCRANK ASSEMBLY
1		1		D2057	PLUG
1		1		D2065	ARM
	1		1	D2066	ARM
1	1	1	1	D2067	CONNECTOR
1	1			D2071	CABLE ASSEMBLY
		1	1	D2071-5	CABLE ASSEMBLY
1	2	1	2	D3014-1*	LOCKNUT
1	1			D3778-1	BRACKET
		1	1	D3778-3	BRACKET
4	4	4	4	AN3-4A	BOLT
4	4	4	4	AN526-1032R9	SCREW
1	2	1	2	NAS1149D0416P*	WASHER (AN960JD416L)
4	4	4	4	NAS1149D0363P**	WASHER (AN960JD10)
6	6	6	6	NAS1149D0332P	WASHER (AN960JD10L)
3	1	3	1	MS21042-3	NUT (or MS21042L3)
	2		2	MS21042-3**	NUT (or MS21042L3)
2	2	2	2	MS21919DG5	CLAMP
2	2	2	2	MS27039-1-18**	SCREW
1	1	1	1	MS35489-9	GROMMET
1	1	1	1	MS35489-67	GROMMET

* INCLUDED AS PART OF D2011-101 MIRROR ASSEMBLY

** INCLUDED AS PART OF D2066 ARM (REF. -043/-047 ONLY)